

Products - Selction Program

Operation and functional description

Author: Hr. Thomas Heindel
SIPOS Aktorik GmbH
Tel.:+49 (0)911 63284-117
Fax +49 (0)911 63284-111
e-Mail Thomas.Heindel@sipos.de

Contents „Products - Selection Program“

1. What can you do with the „Products – Selection Program“?.....	2
2. Start template.....	2
3. Selection	2
4. Documentation, e.g. dimensional drawing	3
5. Commercial data, delivery time and weight.....	4
6. Language selection.....	4
7. Processing of obtained data	4-5
8. List and customer price.....	5
9. Installation and program start	5-6
10. Update	6

1. What can you do with the „Products – Selection Program“?

The installation CD “Products – Selection Program” contains all products of the SIPOS Aktorik, including special versions, SIPOS 5 Flash spare parts and accessories.

The order number of the product can be entered directly or can be created by following the commands in the menu. A technical plausibility check sophisticatedly stored in the program prevents combinations of data which are technically not possible. The language of the templates and the product description can be set in drop-down lists; a re-start of the program or re-entry of the order number after the language was changed is therefore not required.

2. Start template

SIPOS Aktorik GmbH

SIPOS AKTORIK

Order number
2SA5 -

Addition

Production description

Dim. drawing

Wiring diagram

Technical data

Descr. of prod. in clip board

Print

Template language
English (GB/US)

Production description
English (GB/US)

List price 2002 (€)

Discount
0

Delivery in (weeks)

Weight (kg)

Statistical number

Preferences
BG, CH, CZ, CY, EE, IL, IS, HU, LT, LV, MA, MK, MT, MX, NO, PL, RO, SI, SK, TN, TR, ZA

Prefer. country origin (PUL) 004
LCC DE
AL: N ECCN: N

Insert order number!

3. Selection


The selection is partly qualified, i.e. you may select the desired product step by step, by requesting technical data, without any prior knowledge on our product range. A Help window opens automatically, providing those options which are technically feasible. The user can either enter the order number in the template **themselves** or copy the data to the mask by **clicking** the desired option in the selection window.

Order number	Description
2SA5	electric rotary actuators SIPOS 5 Flash, tripping torque ranges from 10-30 Nm (7-22 lbf-ft) to 1400-4000 Nm (1035-2950 lbf-ft);
2SB5	electric linear actuators SIPOS 5 Flash, cut-off force ranges from 5.5-7.7 kN (1,240-1,730 lbf) to 106-152 kN (23,800-34,200 lbf);
2SB6	small electric linear actuators, cut-off forces from 2 kN (450 lbf) to 25 kN (5,620 lbf), for closed-loop control equipment (modulating duty);
2SC5	electric part-turn actuators SIPOS 5 Flash, tripping torque ranges from 80-270 Nm (59-199 lbf-ft) to 1400-4300 Nm (1035-3170 lbf-ft);
2SM5	actuator control systems SIMA;
2SX5	accessories SIPOS 5 Flash;
2SX9	Electronic position transmitter (ESR);
2SY5	spare parts for SIPOS 5 Flash actuators;
M763	electric rotary actuators for nuclear plants and double motor actuators;
M773	small electric part-turn actuators, cut-off torques from 25 Nm (18 lbf-ft) to 200 Nm (148 lbf-ft);
M777	large switching and signalling unit

After the selection, the selection window closes and will open again after 2.5 seconds reserved for checks and calculations (may be changed in the StanUni.ini (Windows 2000/ XP) or "Stan.ini" (Windows NT/ 98) configuration settings file) for the next selection(s).

4. Documentation, e.g. dimensional drawing


After completing an order number, the respective dimensional drawing, wiring diagram and the technical data for the selected product are provided by means of the lit up buttons.



Click these buttons to upload the PDF file(s) in the Acrobat Reader® / Adobe Acrobat. In case there are several files, they are displayed in cascading windows under Windows 2000 / XP.

Under Windows NT / 98, the PDF file which was uploaded first will be displayed as full window. Possible other PDF files will only become visible after closing the displayed file or after clicking the "Minimize" button.

Use the "Window" menu in the Acrobat Reader® to select the respective window.



5. Commercial data, delivery time and weight

Even commercial data such as

Custom tariff code (Statistical number) are displayed after the product has been selected.

In addition, both **delivery time** and **weight** will be indicated.

6. Language selection

The menu /template language as well as the product description language **may be individually selected in the drop-down list.**

Currently, you can choose between 15 European languages for the menu/template language (Greek and Russian are only correctly displayed for operating systems Windows 2000 / XP and later) and German, English, French, Spanish etc.-for the product description.

Apart from symbol-based languages, menu/ template language and product description language can be expanded by as many languages as you like.

When starting the program, the default language stored in your Windows operating system will automatically be selected i.e. in case of a Spanish Windows operating system, Spanish will automatically be selected as menu/template and product description language.


7. Processing of obtained data

Click the „**Copy prod. descrip. to clipboard**“ button to copy all data relevant for the order to the clipboard and then - using the "Paste" command - to any Windows compatible program (Word, Excel, but also Corel Draw or Power Point).

Before saving the data to a buffer memory, you may make further amendments, e.g. if you want to definitely specify the tripping torques in OPEN and CLOSE direction to be set in the factory.


When saving the data to a buffer memory and copying them to a Windows program, you will automatically receive information on the **weight** and **delivery date**.

You can make the selection in the language of your country and then after completion - before saving the data to a buffer and pasting them to your document – change over to the menu/template language and product description language of your customer.



8. List and customer price


This function is only available when using an installation CD "with price quotation". As a standard, the respective list price is displayed after selecting a product (full order number).



When entering a discount in % in the „Discount“ input field, the indication of the upper field changes from „List price“ to „Customer net price“.

The Customer net price is determined as follows:

$$\text{Customer net price} = \text{List price} - 0,(\text{Discount}) \times \text{List price}.$$




9. Installation and program start

The installation of this program is very easy: Insert the CD and follow the instructions on the screen. As a rule, any request can be confirmed by clicking "Next".

Normally, the setup program runs automatically. Under certain circumstances, the setup cannot be run automatically. In this case, start the setup manually by clicking on "Setup.exe".

After the installation has been completed, start the "Products – Selection Program" by double-clicking „Stan.exe“!

A desktop link is recommended.



You can also start the program via "Start/Programs/SIPOS Product Database".

In case administrator rights are required for installation, you have to call your administrator for the installation.

If not set otherwise, the program is installed to the following folder:

C:\Programs\SIPOS

10. Update

Every purchase is centrally stored.

Therefore, we can provide you with the relevant update data in case of changes, e.g. price adders or new products/ product versions.

A new setup will not be required. You only have to replace the updated folder (file), e.g. "data" or "PDF".